

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((sleep <near/7> period) <paragraph>(formula or equation) <paragraph> (ratio and...")

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

**» Search Options**[View Session History](#)[Modify Search](#)[New Search](#) **» Key**

Indicates full text access

IEEE JNL IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard Check to search only within this results setDisplay Format: Citation Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((sleep <sentence> period) and (ratio) and (modem or mobile))<in>metadata)) <and>..."

 [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((sleep <sentence> period))<in>metadata)) <and> (pyr >= 1950 <and> pyr ...)"

 [e-mail](#)

Your search matched 1 of 19 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) [Check to search only within this results set](#)» [Key](#)Display Format: [Citation](#) [Citation & Abstract](#)**IEEE JNL** IEEE Journal or Magazine [Select All](#) [Deselect All](#)**IET JNL** IET Journal or Magazine **1. Minimizing power dissipation of cellular phones**

Mattisson, S.;

[Low Power Electronics and Design, 1997. Proceedings., 1997 International Symposium on](#)
18-20 Aug 1997 Page(s):42 - 45[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)**IEEE STD** IEEE Standard[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((sleep <sentence> period))<in>metadata)) <and> (pyr >= 1950 <and> pyr ..."

 [e-mail](#)

Your search matched 19 of 1532162 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» **Search Options**[View Session History](#)[New Search](#)**Modify Search**

((((sleep <sentence> period))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

 [Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [view selected items](#)[Select All](#) [Deselect All](#) 1. **Spectral and coherence analysis applied to sleep apnea**

Silage, D.A.;
Engineering in Medicine and Biology Magazine, IEEE
 Volume 9, Issue 1, March 1990 Page(s):76 - 78
 Digital Object Identifier 10.1109/51.62913
[AbstractPlus](#) | Full Text: [PDF\(260 KB\)](#) IEEE JNL
[Rights and Permissions](#)

 2. **Effect of sleep stage on the relationship between respiration and heart ra**

Ichimaru, Y.; Clark, K.P.; Ringler, J.; Weiss, W.J.;
Computers in Cardiology 1990. Proceedings.
 23-26 Sept. 1990 Page(s):657 - 660
 Digital Object Identifier 10.1109/CIC.1990.144305
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 3. **Is Rem Sleep A Period At Risk After Stress In Healthy Infants ?**

Gaultier, C.; Canet, E.; Berterottiere, D.;
Engineering in Medicine and Biology Society, 1990. Proceedings of the Twelfth International Conference of the IEEE
 1-4 Nov. 1990 Page(s):2029 - 2030
[AbstractPlus](#) | Full Text: [PDF\(140 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 4. **A comparison of conventional and matched filtering techniques for rapid detection of the newborn [electro-oculography]**

Hatzilabrou, G.M.; Greenberg, N.; Sclabassi, R.J.; Carroll, T.; Guthrie, R.D.; Sc
Biomedical Engineering, IEEE Transactions on
 Volume 41, Issue 10, Oct. 1994 Page(s):990 - 995
 Digital Object Identifier 10.1109/10.324532
[AbstractPlus](#) | Full Text: [PDF\(472 KB\)](#) IEEE JNL
[Rights and Permissions](#)

 5. **System partitioning to maximize sleep time**

Farrahi, A.H.; Sarrafzadeh, M.;
Computer-Aided Design, 1995. ICCAD-95. Digest of Technical Papers., 1995. International Conference on
 5-9 Nov. 1995 Page(s):452 - 455

Digital Object Identifier 10.1109/ICCAD.1995.480155

[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- **6. Non-EEG assessment of arousal in respiratory sleep disorders [body movement]**
Drinnan, M.J.; Murray, A.; Whites, J.E.S.; Gibson, G.J.; Griffiths, C.J.;
[Sleep Monitoring, IEE Colloquium on](#)
14 Nov 1995 Page(s):4/1 - 4/3
[AbstractPlus](#) | Full Text: [PDF\(188 KB\)](#) IET CNF
- **7. Monitoring bed temperature in elderly in the home [ECG/body movement]**
Tamura, T.; Miyasako, S.; Fujimoto, T.; Togawa, T.;
[Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Bi](#)
[Proceedings of the 18th Annual International Conference of the IEEE](#)
Volume 1, 31 Oct.-3 Nov. 1996 Page(s):57 - 58 vol.1
Digital Object Identifier 10.1109/IEMBS.1996.656844
[AbstractPlus](#) | Full Text: [PDF\(180 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- **8. The DCIEM map task corpus: spontaneous dialogue under sleep deprivation treatment**
Bard, E.G.; Sotillo, C.; Anderson, A.H.; Taylor, M.M.;
[Spoken Language, 1996. ICSLP 96. Proceedings., Fourth International Confer](#)
Volume 3, 3-6 Oct. 1996 Page(s):1958 - 1961 vol.3
Digital Object Identifier 10.1109/ICSLP.1996.608019
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- **9. Automatic on-line detection of apneas and hypopneas**
Bartolo, A.; Clymer, B.D.; Burgess, R.C.; Turnbull, J.P.;
[Engineering in Medicine and Biology society, 1997. Proceedings of the 19th Ar](#)
[Conference of the IEEE](#)
Volume 3, 30 Oct.-2 Nov. 1997 Page(s):1066 - 1069 vol.3
Digital Object Identifier 10.1109/IEMBS.1997.756532
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- **10. Minimizing power dissipation of cellular phones**
Mattisson, S.;
[Low Power Electronics and Design, 1997. Proceedings., 1997 International Sy](#)
18-20 Aug 1997 Page(s):42 - 45
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- **11. The effect of light and dark periods on heart rate and heart rate variability [ECG analysis]**
Ekwueme-Okoli, T.C.; Blanchard, S.M.; Degermes, L.A.; Garlich, J.D.;
[Engineering in Medicine and Biology society, 1997. Proceedings of the 19th Ar](#)
[International Conference of the IEEE](#)
Volume 1, 30 Oct.-2 Nov. 1997 Page(s):289 - 292
Digital Object Identifier 10.1109/IEMBS.1997.754528
[AbstractPlus](#) | Full Text: [PDF\(140 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- **12. Stochastic complexity measures for physiological signal analysis**
Rezek, I.A.; Roberts, S.J.;
[Biomedical Engineering, IEEE Transactions on](#)
Volume 45, Issue 9, Sept. 1998 Page(s):1186 - 1191
Digital Object Identifier 10.1109/10.709563

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(132 KB\)](#) IEEE JNL
[Rights and Permissions](#)

-  **13. An auto-backgate-controlled MT-CMOS circuit**
Makino, H.; Tsujihashi, Y.; Nii, K.; Morishima, C.; Hayakawa, Y.; Shimizu, T.; *A VLSI Circuits, 1998. Digest of Technical Papers. 1998 Symposium on* 11-13 June 1998 Page(s):42 - 43
Digital Object Identifier 10.1109/VLSIC.1998.687997
[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEEE CNF
[Rights and Permissions](#)
-  **14. System identification of a circadian signal source using BP neural netwo**
Cisse, Y.; Kinouchi, Y.; Nagashino, H.; Akutagawa, M.; *Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th A International Conference of the IEEE* Volume 6, 29 Oct.-1 Nov. 1998 Page(s):3032 - 3035 vol.6
Digital Object Identifier 10.1109/IEMBS.1998.746130
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF
[Rights and Permissions](#)
-  **15. Evolution of accumulated energy predicts seizures in mesial temporal lobe**
Litt, B.; Esteller, R.; D'Alessandro, M.; Echauz, J.; Shor, R.; Bowen, C.; Vachtsevanos, G.; *[Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 A Meeting of the Biomedical Engineering Soc.] BMES/EMBS Conference, 1999. the First Joint* Volume 1, 13-16 Oct. 1999 Page(s):440 vol.1
Digital Object Identifier 10.1109/IEMBS.1999.802518
[AbstractPlus](#) | Full Text: [PDF\(100 KB\)](#) IEEE CNF
[Rights and Permissions](#)
-  **16. Dynamic power management using adaptive learning tree**
Eui-Young Chung; Benini, L.; De Micheli, G.; *Computer-Aided Design, 1999. Digest of Technical Papers. 1999 IEEE/ACM International Conference on* 7-11 Nov. 1999 Page(s):274 - 279
Digital Object Identifier 10.1109/ICCAD.1999.810661
[AbstractPlus](#) | Full Text: [PDF\(576 KB\)](#) IEEE CNF
[Rights and Permissions](#)
-  **17. Monitoring driver fatigue using facial analysis techniques**
Singh, S.; Papanikopoulos, N.P.; *Intelligent Transportation Systems, 1999. Proceedings. 1999 IEEE/IEEJ/JSME Conference on* 5-8 Oct. 1999 Page(s):314 - 318
Digital Object Identifier 10.1109/ITSC.1999.821073
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF
[Rights and Permissions](#)
-  **18. A wrist-mounted activity and pulse recording system**
Aritomo, M.; Yonezawa, Y.; Caldwell, W.M.; *[Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 A Meeting of the Biomedical Engineering Soc.] BMES/EMBS Conference, 1999. the First Joint* Volume 2, 13-16 Oct. 1999 Page(s):693 vol.2
Digital Object Identifier 10.1109/IEMBS.1999.803848
[AbstractPlus](#) | Full Text: [PDF\(64 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 19. Detection of sleep apnoea from frequency analysis of heart rate variabilit**



Drinnan, M.; Allen, J.; Langley, P.; Murray, A.;
Computers in Cardiology 2000
24-27 Sept. 2000 Page(s):259 - 262
Digital Object Identifier 10.1109/CIC.2000.898506
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((((frequency) <paragraph> (rising and falling))<in>metadata)) <and> (pyr >= ..."

 [e-mail](#)

Your search matched 9 of 207 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Descending order.

» **Search Options**[View Session History](#)[New Search](#)**Modify Search**

[Search](#)
 Check to search only within this results setDisplay Format: Citation Citation & Abstract
[view selected items](#)
[Select All](#) [Deselect All](#)
» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

1. **Common-mode current harmonics on differential pair cable shields operate as high as 2.125 Gb/s**
Knighten, J.L.; Smith, N.W.; Jun Fan; DiBene, J.T., II; Hoeft, L.O.; Electromagnetic Compatibility, 2001. EMC. 2001 IEEE International Symposium Volume 1, 13-17 Aug. 2001 Page(s):47 - 51 vol.1
 Digital Object Identifier 10.1109/ISEMC.2001.950526
[AbstractPlus](#) | Full Text: [PDF\(472 KB\)](#) IEEE CNF
[Rights and Permissions](#)

2. **Influence of PWM-type voltage waveforms on reliability of machine insulation**
Lebey, T.; Castelan, P.; Montanari, G.C.; Ghinello, I.; Harmonics And Quality of Power, 1998. Proceedings. 8th International Conference Volume 2, 14-16 Oct. 1998 Page(s):994 - 998 vol.2
 Digital Object Identifier 10.1109/ICHQP.1998.760177
[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE CNF
[Rights and Permissions](#)

3. **Thai intonation analysis in harmonic-frequency domain**
Kongkachandra, R.; Pansang, S.; Sripramong, T.; Kimpan, C.; Circuits and Systems, 1998. IEEE APCCAS 1998. The 1998 IEEE Asia-Pacific 24-27 Nov. 1998 Page(s):165 - 168
 Digital Object Identifier 10.1109/APCCAS.1998.743702
[AbstractPlus](#) | Full Text: [PDF\(308 KB\)](#) IEEE CNF
[Rights and Permissions](#)

4. **New digital vibrometer with high accuracy using self-mixing type LDV**
Hara, K.; Shinohara, S.; Ikeda, H.; Yoshida, K.; Sumi, M.; Instrumentation and Measurement Technology Conference, 1997. IMTC/97. Proceedings 'Sensing, Processing, Networking', IEEE Volume 2, 19-21 May 1997 Page(s):860 - 864 vol.2
 Digital Object Identifier 10.1109/IMTC.1997.610210
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF
[Rights and Permissions](#)

5. **Interferometric noise reduction through intrabit frequency evolution of di DFB lasers**
Legg, P.J.; Tur, M.; Regev, H.; Cornwell, W.D.; Shabeer, M.; Andonovic, I.; Lightwave Technology, Journal of

Volume 14, Issue 10, Oct. 1996 Page(s):2117 - 2125
Digital Object Identifier 10.1109/50.541198

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(676 KB\)](#) IEEE JNL
[Rights and Permissions](#)

6. Active and nonlinear wave propagation devices in ultrafast electronics and optoelectronics [and prolog]

Rodwell, M.J.W.; Allen, S.T.; Yu, R.Y.; Case, M.G.; Bhattacharya, U.; Reddy, N.; Kamegawa, M.; Konishi, Y.; Pusl, J.; Pullela, R.; [Proceedings of the IEEE](#)

Volume 82, Issue 7, July 1994 Page(s):1037 - 1059
Digital Object Identifier 10.1109/5.293161

[AbstractPlus](#) | [Full Text: PDF\(1956 KB\)](#) IEEE JNL
[Rights and Permissions](#)

7. Picosecond measurements by free-running electro-optic sampling

Giboney, K.S.; Allen, S.T.; Rodwell, M.J.W.; Bowers, J.E.; [Photonics Technology Letters, IEEE](#)

Volume 6, Issue 11, Nov. 1994 Page(s):1353 - 1355
Digital Object Identifier 10.1109/68.334837

[AbstractPlus](#) | [Full Text: PDF\(252 KB\)](#) IEEE JNL
[Rights and Permissions](#)

8. Ground-to-air measurement radar (GTAMS) for aircraft signature measurement

Jain, A.; Patel, I.; [Instrumentation and Measurement Technology Conference, 1992. IMTC '92., §](#)
12-14 May 1992 Page(s):389 - 394

Digital Object Identifier 10.1109/IMTC.1992.245111
[AbstractPlus](#) | [Full Text: PDF\(396 KB\)](#) IEEE CNF
[Rights and Permissions](#)

9. Theoretical Investigations of TRAPATT Amplifier Operation

Mains, R.K.; Masnari, N.A.; Haddad, G.I.; [Microwave Theory and Techniques, IEEE Transactions on](#)

Volume 28, Issue 10, Oct 1980 Page(s):1070 - 1076

[AbstractPlus](#) | [Full Text: PDF\(536 KB\)](#) IEEE JNL
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Terms](#)

© Copyright 2006 IEEE -

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6473607").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:39
S2	1	(US-6473607-\$).did.	USPAT	OR	ON	2007/03/27 15:38
S3	6	(("6101173") or ("5790589") or ("5392287")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:38
S4	3	(US-5392287-\$ or US-5790589-\$ or US-6101173-\$).did.	USPAT	OR	ON	2007/03/27 15:39
S5	2	("6016312").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:44
S6	1	(US-6016312-\$).did.	USPAT	OR	ON	2007/03/27 15:44
S7	56	("5128938" "5299228" "5416435" "5428820" "5491718" "5566081" "5596571" "5678227" "5708658" "5708971" "5737323" "5740517" "5758278" "5790941" "5815043" "5815819" "5842141" "5943613").PN. OR ("6016312" "6473607").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 14:46
S8	5	S7 and (sleep near3 mode) and (reacquisition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:41
S9	3	S8 and (disabl\$3 near6 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:42

EAST Search History

S10	2	S9 and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:42
S11	3	(US-5392287-\$ or US-5790589-\$ or US-6101173-\$).did.	USPAT	OR	ON	2007/04/01 15:22
S12	2	(US-6016312-\$ or US-6473607-\$).did.	USPAT	OR	ON	2007/04/01 15:22
S13	61	S7 or S11 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:22
S14	1	(sleep near3 clock near3 period) same ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S15	1	(sleep near3 clock near3 period) with ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S16	1	(sleep near3 clock near3 period) and ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S17	1	((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:25
S18	4	(sleep near6 period) same (reference near4 clock) same (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:33

EAST Search History

S19	124	(sleep near6 period) and (reference near4 clock) and (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:27
S20	31	S19 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:45
S21	10	S20 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S22	137	sleep near6 period near6 (calculat\$3 or formula or equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:33
S23	26	S22 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S24	13	S23 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S25	592	ratio and ((previous or past) near3 ratio) and ((current or present) near3 ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:44
S26	256	S25 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:49

EAST Search History

S27	0	S26 and (mobile or modem) and (sleep near5 period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:46
S28	13	S26 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:48
S29	290	reacquisition and (ratio) and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:48
S30	71	S29 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:02
S31	5	S30 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:59
S32	0	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable) with (reference near3 clock)) and (sleep near3 clock) and (contoller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01
S33	778	(reference near3 clock) and (PN near3 (sequence or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:00
S34	574	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01

EAST Search History

S35	14	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable) with (reference near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01
S36	2	S35 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S37	623	(sleep near3 mode) and (sleep near3 clock) and (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S38	163	S37 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:16
S39	6	S38 and (PN near3 (code or sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S40	2	("6735434").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 16:10
S41	1	(US-6735434-\$).did.	USPAT	OR	ON	2007/04/01 16:10
S42	3	(US-6016312-\$ or US-6473607-\$ or US-6735434-\$).did.	USPAT	OR	ON	2007/04/01 16:17
S43	0	S42 and (ratio same (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:11

EAST Search History

S44	0	S42 and (ratio and (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:12
S45	3218	(ratio and (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:12
S46	1695	S45 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:18
S47	1	S46 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:13
S48	84	S46 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:13
S49	84	S48 and (average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:14
S50	1	S42 and (average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:14
S51	82	(calculate same (frequency same (rising same falling)))	USPAT	OR	ON	2007/04/01 16:25
S52	20	S51 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:26

EAST Search History

S53	1	S52 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:18
S54	23	((calculate same frequency) and (rising and falling)).clm.	USPAT	OR	ON	2007/04/01 16:28
S55	5	S54 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:41
S56	5	S55 and ((calculate same frequency) and (rising and falling))	USPAT	OR	ON	2007/04/01 16:40
S57	5	(sleep near3 mode) and (ratio SAME (quantization near3 error))	USPAT	OR	ON	2007/04/01 16:41
S58	1	S57 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S59	3282	ratio same (IIR or (infinite near3 impulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S60	3	S59 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S61	2231	(smooth\$3) same (IIR or (infinite near3 impulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S62	1863	S61 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47

EAST Search History

S63	54	S62 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:45
S64	0	S63 and wireles	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:45
S65	1	S63 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:46
S66	3060	(IIR adj2 filter) and (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S67	871	(IIR adj2 filter) same (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S68	457	(IIR adj2 filter) with (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S69	87	S68 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S70	7	S69 and (wireless or cdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:48
S71	1	(US-5642377-\$).did.	USPAT	OR	ON	2007/04/01 16:49

EAST Search History

S72	2	("6735454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 16:57
S73	1	(US-6735454-\$).did.	USPAT	OR	ON	2007/04/01 16:58
S74	1	(US-6147530-\$).did.	USPAT	OR	ON	2007/04/01 16:59
S75	12	(sleep near3 frequency) with (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S76	0	S75 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S77	14	(sleep near3 frequency) same (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S78	0	S77 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S79	137	sleep near6 period near6 (calculat\$3 or formula or equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:23
S80	26	S79 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:23
S81	14	(sleep near3 frequency) same (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:26